




Laundry chutes

CATALOG - PRICE LIST II / 2022

- ◆ ROUND CHUTE
- ◆ SQUARE CHUTE
- ◆ MOUNTING ELEMENTS



Laundry chutes



- Thanks to these, you do not need to go downstairs with your dirty laundry.
- You just throw it in the chute on each storey through the drop-in hole.
- Choose the door type: side-opening, with bottom or top hinge.
- There is no reason to waste valuable time carrying dirty clothes to the laundry.
- You do not need to accumulate the laundry in your bathroom in laundry baskets, which take up a lot of space.
- The chutes are made of acid-resistant steel.
- Due to their precise design, they do not damage your laundry.
- They are well-made, and therefore pose no danger.
- The acid-proof sheet metal chutes ensure that synthetic laundry does not become electrified, preventing the occurrence of sparks.
- Laundry thrown into the drop-in hole always goes to the laundry or utility room.
- The convenience and aesthetics of this type of installation make them increasingly used in single-family buildings.


The advantages of our products

- new technology of joining elements - a smooth discharge
- material of the highest quality - acid-resistant steel
 - does not rust
 - does not electrify
- tailored to the individual needs of the client
- easy to instal
- aesthetic appearance
- long service life
- comfort and safety
- good quality/price ratio



Options available

We supply round or square laundry chutes.




Manufacturing a custom chute according to the client's design is possible.

We prepare professional technical drawings at the client's request (for an extra fee).

Arrangements of chutes


Laundry chute

diameter fi 250




Laundry chute with two drops and a straight end

diameter fi 350




Laundry chute

diameter fi 250




Laundry chute

diameter fi 300




Laundry chute with offsets

diameter fi 300




Laundry chute short

diameter fi 250



Round chute - system components


Chute elbow 90°



Index ZSP-OK-KOL/XXX/90

Dimensions [mm]	Net price [PLN]	L [mm]	Dz [mm]	Dw [mm]
Ø250	477,00	392,0	250,5	251,5
Ø300	570,00	442,0	300,5	301,5
Ø350	673,00	492,0	350,5	351,5
Ø400	783,00	540,0	400,5	401,5


Chute T-piece 90°



Index ZSP-OK-TR/XXX/90

Dimensions [mm]	Net price [PLN]	L [mm]	Dz [mm]	Dw [mm]
Ø250	876,00	450,0	250,5	251,5
Ø300	1035,00	500,0	300,5	301,5
Ø350	1207,00	550,0	350,5	351,5
Ø400	1348,00	600,0	400,5	401,5


Chute section 1 m



Index ZSP-OK-KAN/XXX/1MB

Dimensions [mm]	Net price [PLN]	Dz [mm]	Dw [mm]
Ø250	329,00	250,5	251,5
Ø300	389,00	300,5	301,5
Ø350	465,00	350,5	351,5
Ø400	528,00	400,5	401,5


Chute section 0,5 m



Index ZSP-OK-KAN/XXX/0,5MB

Dimensions [mm]	Net price [PLN]	Dz [mm]	Dw [mm]
Ø250	253,38	250,5	251,5
Ø300	274,29	300,5	301,5
Ø350	314,88	350,5	351,5
Ø400	355,47	400,5	401,5


Chute section 0,3 m



Index ZSP-OK-KAN/XXX/0,33MB

Dimensions [mm]	Net price [PLN]	Dz [mm]	Dw [mm]
Ø250	161,30	250,5	251,5
Ø300	170,97	300,5	301,5
Ø350	232,47	350,5	351,5
Ø400	260,76	400,5	401,5


Chute end socket with a frame



Index ZSP-OK-KRK/XXX/45

Dimensions [mm]	Net price [PLN]	A [mm]	B [mm]	Dz [mm]
Ø250	617,00	310,0	435,0	251,5
Ø300	881,91	365,0	498,7	301,5
Ø350	1015,98	415,0	565,0	351,5
Ø400	1161,12	464,5	634,0	401,5


Chute elbow 45°



Index ZSP-OK-KOL/XXX/45

Dimensions [mm]	Net price [PLN]	L [mm]	Dz [mm]	Dw [mm]
Ø250	458,79	349,3	250,5	251,5
Ø300	527,67	384,6	300,5	301,5
Ø350	610,08	420,0	350,5	351,5
Ø400	639,72	455,0	400,5	401,5


Chute end 45°



Index ZSP-OK-ZAK/XXX/45

Dimensions [mm]	Net price [PLN]	L [mm]	Dz [mm]	Dw [mm]	A [mm]
Ø250	511,68	415,8	250,5	251,5	97,0
Ø300	580,56	451,3	300,5	301,5	97,0
Ø350	685,11	488,8	350,5	351,5	100,0
Ø400	784,74	523,5	400,5	401,5	100,0

Chute door



Index ZSP-OK-DRZ/XXX

Dimensions [mm]	Net price [PLN]	A i B [mm]	C i D [mm]	E [mm]
Ø250	282,90	326,0	270,5	250,5
Ø300	376,38	376,0	320,5	300,5
Ø350	471,09	426,0	370,5	350,5
Ø400	564,57	476,0	420,5	400,5

Chute door options




Chute door options:

- with a key
- painted in a selected color from the RAL palette in a flash or you have.

Square chute - system components


Chute elbow 90°



Index ZSP-PR-KOL/XXX/90

Dimensions [mm]	Net price [PLN]	A [mm]	L1 [mm]	L1 [mm]
250x250	564,57	250,0	361,0	411,0
300x300	662,97	300,0	411,0	461,0
350x350	768,75	350,0	461,0	511,0
400x400	881,91	400,0	511,0	561,0


Chute T-piece 90°



Index ZSP-PR-TR/XXX/90

Dimensions [mm]	Net price [PLN]	A [mm]	B [mm]	L [mm]
250x250	798,27	250,0	250,0	411,0
300x300	942,18	300,0	300,0	461,0
350x350	1098,39	350,0	350,0	511,0
400x400	1339,47	400,0	400,0	561,0


Chute section 1 m



Index ZSP-PR-KAN/XXX/1MB

Dimensions [mm]	Net price [PLN]	A [mm]
250x250	1148,82	250,0
300x300	1384,98	300,0
350x350	1542,42	350,0
400x400	1771,20	400,0


Chute section 0,5 m



Index ZSP-PR-KAN/XXX/0,5MB

Dimensions [mm]	Net price [PLN]	A [mm]
250x250	676,50	250,0
300x300	793,35	300,0
350x350	874,53	350,0
400x400	990,15	400,0


Chute section 0,3 m



Index ZSP-PR-KAN/XXX/0,3MB

Dimensions [mm]	Net price [PLN]	A [mm]
250x250	519,06	250,0
300x300	596,55	300,0
350x350	653,13	350,0
400x400	725,70	400,0


Chute end telescope with a frame



Index ZSP-PR-TEL/XXX/140-240/45

Dimensions [mm]	Net price [PLN]	A [mm]	L [mm]	W [mm]
250x250	873,30	250,0	421,3	315,5
300x300	956,94	300,0	491,0	365,5
350x350	1091,01	350,0	562,0	415,5
400x400	1355,46	400,0	633,7	562,0


Chute elbow 45°



Index ZSP-PR-KOL/XXX/45

Dimensions [mm]	Net price [PLN]	A [mm]	L [mm]	W [mm]
250x250	564,57	250,0	362,3	356,6
300x300	662,97	300,0	397,7	406,6
350x350	768,75	350,0	433,1	456,6
400x400	881,91	400,0	468,4	506,6


Chute end 45°



Index ZSP-PR-ZAK/XXX/45

Dimensions [mm]	Net price [PLN]	A [mm]	L [mm]	W [mm]
250x250	496,82	250,0	312,8	307,1
300x300	586,71	300,0	348,2	357,1
350x350	671,58	350,0	385,6	407,1
400x400	768,75	400,0	418,9	457,1


Chute door



Index ZK/KW/xxx/D

Dimensions [mm]	Net price [PLN]	A i B [mm]	C i D [mm]
250x250	376,38	303,5	248,0
300x300	471,09	353,5	298,0
350x350	517,83	403,5	348,0
400x400	564,57	453,5	398,0

Horizontal door with a drawer




Index ZSP-PR-DRZ/xxx/SZ

Dimensions [mm]	Net price [PLN]	A i B [mm]	C i D [mm]	E [mm]
250x250	429,27	303,5	248	237
300x300	527,67	353,5	298	287
350x350	576,87	403,5	348	337
400x400	624,84	453,5	398	387

Mounting elements


Mounting bracket for square chute



Index ZSP-PR-WSP/XXX

Dimensions [mm]	Net price [PLN]	Description
205,5 x 101	270,60	set of


Screwed wall bracket



Index KJ20/XXX

Dimensions [mm]	Net price [PLN]	Dw [mm]
Ø250	52,89	251,5
Ø300	52,89	301,5
Ø350	52,89	351,5
Ø400	52,89	401,5


Reinforced bolt clamp



Index KJ20/XXX

Dimensions [mm]	Net price [PLN]	DW [mm]	A [mm]	M [mm]
Ø250	132,84	251,5	220	M12
Ø300	132,84	301,5	220	M12
Ø350	132,84	351,5	220	M12
Ø400	132,84	401,5	220	M12


Chute mounting bracket



Index ZSP-OK-OB/XXX

Dimensions [mm]	Net price [PLN]	Dw [mm]	A [mm]
Ø250	121,77	250	295
Ø300	134,07	300	345
Ø350	252,15	350	395
Ø400	277,98	400	445


Transition support



Index ZSP-OK-PP/XXX

Dimensions [mm]	Net price [PLN]	Dw [mm]	A i B [mm]	E [mm]	F [mm]
Ø250	626,07	250	300	350	300
Ø300	672,81	300	350	400	350
Ø350	815,49	350	400	450	400
Ø400	944,64	400	450	500	450

Export department



Export

mob. +48 516 452 904

email: export.prodmax@prodmax.pl

Krzysztof Szymański - Managing Director

mob. +48 502 308 944


email: krzysztof.szymanski@prodmax.pl

Milena Floras - Head of Export Department

mob. +48 503 498 146

email: milena.floras@prodmax.pl

*We take care
of your home's climate!*



zsy.py.prodmax.pl



COMPANY HEADQUARTERS

05-806 Sokołów, Poland
ul. Sokołowska 38
phone / fax: +48 22 723 01 62
mob.: +48 606 250 762
e-mail: prodmax@prodmax.pl

PRODUCTION PLANT

09-300 Żuromin, Poland
ul. Wyzwolenia 130
phone / fax: +48 23 659 39 57
mob.: +48 604 441 233
e-mail: zuromin@prodmax.pl